

Advanced Settings

Schedule
Access & Retries
Comparison
Files
Folders
Job
Masks & Filters
Safety
Special
Versioning
Zip / Encryption
Information

Defaults

Attended Mode

Special Safety

Unattended Mode

☐ Warn If Deleting More Files Than % From Either Left Or Right Side

☐ Warn If Deleting All Files In Any (Sub-)Folder

☐ Warn If Deleting More Than % Of The Files From Any (Sub-)Folder

Note: for unattended mode, these settings can be deactivated separately on the [Unattended Mode](#) tab sheet.

[Disable this profile](#)

OK

Cancel

Save As...

Advanced Settings

Schedule
Access & Retries
Comparison
Files
Folders
Job
Masks & Filters
Safety
Special
Versioning
Zip / Encryption
Information

Defaults

Attended Mode

Special Safety

Unattended Mode

If your profile runs in unattended mode, you need to confirm the allowed actions on this tab sheet.

- ☐ Overwrite Read-Only Files
- ☐ Overwrite Larger Files With Smaller Ones If File Dates Require It
- ☐ Newer Files May Be Overwritten If Necessary
- ☒ File Deletion Allowed, Maximum % Of The Files From Either Side
- ☐ Enable Special Safety Warnings From Special Safety Tab Sheet

[Disable this profile](#)

OK

Cancel

Save As...

Advanced Settings

Schedule
Access & Retries
Comparison
Files
Folders
Job
Masks & Filters
Safety
Special
Versioning
Zip / Encryption
Information

Defaults

Special Features

Database

- | | |
|--|---|
| <input checked="" type="checkbox"/> Cache Destination File List... | <input type="checkbox"/> Use Cache Database For Source |
| <input type="checkbox"/> Process Security And Shares... | <input type="checkbox"/> Left side listing uses Remote Service |
| <input type="checkbox"/> Use Partial File Updating | <input type="checkbox"/> Right side listing uses Remote Service |
| <input type="checkbox"/> Right side uses Remote Service | <input type="checkbox"/> Use different folders for communication... |
| <input type="checkbox"/> No full copying if service unavailable | <input type="checkbox"/> If the Destination Machine Modifies Received Files, Changing Their Sizes Upon Reception, Then Copy Such Updated Files Back |
| <input type="checkbox"/> Request only one file at a time | |
| <input type="checkbox"/> Fast Mode (process target directly - no temp file. Left To Right is always fast.) | |
| <input type="checkbox"/> Alternate Data Streams... | Set Target Volume Label: <input type="text"/> |

[Disable this profile](#)

OK

Cancel

Save As...

Destination Caching Settings



☒ Use Local Database To Cache Destination File List

☒ Double-check the actual destination for those folders where new or updated files seem to exist

☒ Re-read the destination file list completely every
 profile runs

Next re-reading will happen after

runs (0=next time)

OK

Cancel

Advanced Settings

Schedule
Access & Retries
Comparison
Files
Folders
Job
Masks & Filters
Safety
Special
Versioning
Zip / Encryption
Information

Defaults

Versioning

Synthetic Backups

More

☐ Keep multiple backup versions: older versions per file

☐ Only On Right-Hand Side

☐ Move into folder:

☐ As a subfolder in each folder

☒ Recreate tree below one "Older" folder

☒ Filename Encoding - On Right Side, Put Timestamp Into File Names
(Recommended for Use With Restore Wizard - Also Preserves Timestamps on FTP Sites)

[Disable this profile](#)

OK

Cancel

Save As...